

Search Notes

Application/Control No.

10/809,831

Examiner

Rodney P. Swartz, Ph.D.

Applicant(s)/Patent under
Reexamination

KOZEL ET AL.

Art Unit

1645

SEARCHED

Class	Subclass	Date	Examiner
424	130.1 141.1 150.1 164.1 184.1 234.1	9/26/2005	RPS
424	246.1	9/26/2005	RPS
435	4 7.1 7.2	9/26/2005	RPS
435	7.32	9/26/2005	RPS
436	501	9/26/2005	RPS
updated	above	3/30/2006	RPS
updated	above	4/25/2007	RPS
updated	above	1/14/2008	RPS
updated	above	7/24/2008	RPS
updated	above	9/25/2008	RPS
updated	above	3/30/2009	RPS
updated	above	7/13/2009	RPS

INTERFERENCE SEARCHED

Class	Subclass	Date	Examiner
435	7.1	7/13/2009	RPS
435	4 7.2	7/13/2009	RPS
436	501	7/13/2009	RPS
424/130.1, 141.1, 150.1, 164.1, 184.1, 234.1, 246.1		7/13/2009	RPS

**SEARCH NOTES
(INCLUDING SEARCH STRATEGY)**

	DATE	EXMR
biosis caba caplus embase japio lifesci medline scisearch uspatfull	9/26/2005	RPS
updated above	3/30/2006	RPS
updated above	4/25/2007	RPS
updated above	1/14/2008	RPS
updated above	7/24/2008	RPS
updated above	9/25/2008	RPS
PALM - inventor name JPO,EPO,USPAT,USPGPUB - PGA reference value	3/30/2009	RPS
reviewed all searches biosis caba caplus embase japio lifesci medline sci	7/13/2009	RPS